



MidwestRetina
<http://www.midwestretina.com>

Phone: (614)-339-8500
Toll Free: (866)-373-8462

Sugat S. Patel, M.D.
Louis J. Chorich III, M.D.
Dino D. Klisovic, M.D.
Lisa M. Borkowski, M.D.
Dominic M. Buzzacco, M.D.
Johnstone Kim, M.D.

Posterior Vitreous Detachment (PVD) Information

What is vitreous detachment?

*Most of the eye's interior is filled with vitreous, a gel-like substance that helps the eye maintain a round shape. There are millions of fine fibers intertwined within the vitreous that are attached to the surface of the retina, the eye's light-sensitive tissue. As we age, the vitreous slowly shrinks, and these fine fibers pull on the retinal surface. Usually the fibers break, allowing the vitreous to separate and shrink from the retina. This is a **vitreous detachment**.*

In most cases, a vitreous detachment, also known as a posterior vitreous detachment (PVD), is not sight-threatening and requires no treatment.

Risk Factors:

Who is at risk for vitreous detachment?

A vitreous detachment is a common condition that usually affects people over age 50, and is very common after age 80. People who are nearsighted are more likely to experience a vitreous detachment at an earlier age. Those who have a vitreous detachment in one eye are likely to have one in the other, although it may not happen until years later.

Symptoms and Detection:

What are the symptoms of vitreous detachment?

As the vitreous shrinks, it becomes somewhat stringy, and the strands can cast tiny shadows on the retina that you may notice

as floaters, which appear as little "cobwebs" or specks that seem to float about in your field of vision. If you try to look at these shadows they may quickly dart out of the way.

One symptom of a vitreous detachment is a small but sudden increase in the number of new floaters. This increase in floaters may be accompanied by flashes of light (lightning streaks) in your vision. In most cases, either you will not notice a vitreous detachment, or you will find it merely annoying because of the increase in floaters.

If you develop new floaters, flashing lights, or a shadow over your vision, you should call our office immediately.

How is vitreous detachment detected?

The only way to diagnose the cause of the problem is by a comprehensive dilated eye examination. If the vitreous detachment has led to a retinal tear or detached retina, early treatment can help prevent loss of vision.

Treatment:

How does vitreous detachment affect vision?*Although a vitreous detachment does not threaten sight, once in a while some of the vitreous fibers pull so hard on the retina that they create a retinal tear or lead to a retinal detachment. Both of these conditions are sight-threatening and should be treated immediately.*

If left untreated, a retinal tear or detached retina can lead to permanent vision loss in the affected eye. Those who experience a sudden increase in floaters or an increase in flashes of light in peripheral vision should have an eye care professional examine their eyes as soon as possible.

Main Office:
6655 Post Road
Dublin, Ohio 43016

East Office:
150 Taylor Station Road
Columbus, Ohio 43213

Lancaster Office:
618 Pleasantville Road
Lancaster Ohio 43130

Mount Vernon Office:
1355 Yauger Rd
Mount Vernon, OH 43050

Arena Office (Eye Center):
262 Neil Avenue
Columbus, Ohio 43215

Chillicothe Office:
159 E. Second Street
Chillicothe, OH 45601

Mansfield Office:
466 South Trimble Rd
Mansfield, Ohio 44906

Zanesville Office:
2935 Maple Avenue
Zanesville, Ohio 43701